


 **The Advantages & Disadvantage of Medication Assisted Treatment in Primary Care Offices**

Tonja M. Padgett DNP, RN, ACNS-BC
tonnpadge@iu.edu

 **Objectives**

1. Discuss Substance Use Disorder (SUD) treatment including Medication Assisted Treatment (MAT) in primary care
2. Describe advantages to SUD treatment in primary care
3. Describe disadvantages to SUD treatment in primary care

 SECTION 1

Substance Use Disorder


Ψ
Statistics


1. Opioid Crisis declared a Public Health Emergency in 2017.
2. 115 Americans die every day from an opioid overdose
3. 2017 opioid involved overdose deaths
 - U.S. 64,070
 - World 190,900

SCHOOL OF NURSING
Indiana University

NLN National League for Nursing
The American Association of Colleges of Nursing
2017-2018 National Survey of Nursing Schools
www.nln.org

NLN National League for Nursing
The American Association of Colleges of Nursing
2017-2018 National Survey of Nursing Schools
www.nln.org





Ψ *Needed to prescribe Buprenorphine

Medication Assisted Treatment

- Methadone
- Naltrexone
- Buprenorphine *

DATA 2000 Waiver

DEA-grants license #

1st yr. 30
2nd yr. 100

SCHOOL OF NURSING Indiana University

NLN National League for Nursing

NLN National League for Nursing

Ψ Example: Where I live

	Indiana	Boone County	Lebanon	
Population	6,666,818	65,875	15,959	-Indiana opioid-related overdose deaths/100,000(2016): 12.6
High school grad	88.1%	93.2%	86.5%	
Persons without health insurance	9.4%	6.4%	14.5%	
Median household income	\$50,433	\$72,774	\$46,943	-Indiana opioid prescriptions/100 persons (2015) : 109.1
Person in poverty	14.1%	7%	8.2%	

SCHOOL OF NURSING Indiana University

NLN National League for Nursing

NLN National League for Nursing

Ψ June 26th Boone Beat (from the Lebanon Reporter)

- June 24th 11:55pm: Drug overdose (Lebanon)
- June 24th 11:42am: Heroin overdose (Whitestown)
- June 23rd 5:58am: Two people unconscious from drug overdose (Zionsville)
- June 23rd 8:51pm: Child found needle in parking lot and poked her finger, enroute to hospital (Jamestown)

SCHOOL OF NURSING Indiana University

NLN National League for Nursing

NLN National League for Nursing

Ψ **Where would someone from Lebanon go for MAT?**

1. Closest MAT (methadone) clinic: at least 30 miles away in Indianapolis
2. Closest primary care office with a certified buprenorphine practitioner:
2 in county

- 1 in Lebanon
- 1 in Zionsville

SCHOOL OF NURSING Indiana University **NLN** National League for Nursing **NLN** National League for Nursing

Ψ


SECTION 2

Advantages

SCHOOL OF NURSING Indiana University **NLN** National League for Nursing **NLN** National League for Nursing

Ψ **Advantages**

1. Increase access in community
2. Decrease costs
3. Relationships



SCHOOL OF NURSING Indiana University **NLN** National League for Nursing **NLN** National League for Nursing

Ψ

SECTION 3

Disadvantages

SCHOOL OF NURSING Indiana University

NLN National League for Nursing

NLN National League for Nursing

Ψ

Disadvantages

1. Proper education
2. Lack of time or space
3. Unsure efficacy of MAT
4. Low reimbursement
5. **Disruption of continuity of care**



SCHOOL OF NURSING Indiana University


NLN National League for Nursing

NLN National League for Nursing

Ψ

Conclusion

Reducing the Gap



SCHOOL OF NURSING Indiana University

NLN National League for Nursing

NLN National League for Nursing

Ψ

SECTION 4

Questions???

SCHOOL OF NURSING Indiana University

NLN National League for Nursing

NLN National League for Nursing

Ψ

References

1. Anaya, A., Carter, Z., Dutton, P., George, P., Helzer, B., McInerney, Z., ... Vaitkus, A. (2014). Outcomes from the international survey informing greater insights in opioid dependence treatment project. *Drug education, prevention, and policy*, 21(6), 440-450. doi:10.1016/j.drugpo.2014.04.011
2. Anaya, L., Lipp, W., Flesher, T., Rabby, C., Anon, J., Conroy, A., ... Nelson, T. (2010). Buprenorphine-naloxone: detoxification to community treatment providers: The NIDA clinical trials network field experience. *The American Journal on Addictions*, 111(1), 42-50. doi:10.1111/j.1524-6030.2010.01524.x
3. Amato, S., Mezzati, S., Davoli, M., & Vecchi, S. (2011). Psychosocial and pharmacological treatments versus pharmacological treatments for opioid detoxification. *Cochrane Database-Systemic Reviews*, 5, doi:CD009101
4. Arhan, C., Schreiner, C., Mares, S., & Schuster, C. (2010). Estimating treatment capacity for opioid dependence with office-based treatment with buprenorphine: national surveys of physicians. *Journal of Substance Abuse Treatment*, 39(2), 95-104. doi:10.1016/j.jsat.2010.02.004
5. Barry, C., Emswiler, A., Finkel, D., Fienke, L., & Busch, S. (2016). Estimating demand for primary care-based treatment for substance and alcohol use disorders. *Addiction*, 111(8), 1376-1384. doi:10.1111/add.12864
6. Beasley, C., & Sanga, A. (2015). Opioid use disorder: update on diagnosis and treatment. *Psychiatric Times*, 32(4), 16-20.
7. Combating the opioid epidemic: recommendations of the president's commission. (2015-2016). Retrieved from <https://www.whitehouse.gov/sites/whitehouse.gov/files/eoia/commission-report-2016.pdf>
8. Control, C. I. D. (2018). Opioid Data. Retrieved from <https://www.cdc.gov/drugoverdose/data/analysis.html>
9. DeFawa, J., Rubin, S., Neidstrom, B., & Kasal, L. (2014). Analysis of barriers to adoption of buprenorphine maintenance therapy by family physicians. *Journal of Rural and Remote Health*, 15, 2019.
10. Determination that a public health emergency exists (2017). Washington DC Retrieved from <https://www.fda.gov/emergency-preparedness-response-recovery/papers/default.aspx>

SCHOOL OF NURSING Indiana University

NLN National League for Nursing

NLN National League for Nursing

Ψ


References

1. Bradley, D., Williams, J., Ayers, A., Schuster, J., Cilia, A., ... Stein, B. (2015). Practice guidance for buprenorphine for the treatment of opioid use disorders: results of an expert panel process. *Substance Abuse*, 36(2), 209-216. doi:10.1089/sab.2014.0019
2. Hedegaard, H., Warner, M., & Minino, A. (2017). Drug overdose deaths in the United States, 1999-2015. National Center for Health Statistics. Retrieved from: https://www.cdc.gov/nchs/data/hestats/2017_08.pdf
3. Indiana state dept. <https://www.in.gov/indstate/27393.htm>
4. Jones, C., Campopiano, M., Bakhit, G., & McCance-Katz, E. (2015). National and state treatment need and capacity for opioid agonist medication-assisted treatment. *American Journal of Public Health*, 105(9), 1593-1597. doi:10.2195/ajph.2015.302864
5. Jones, E., Moore, B., Singler, J., O'Connor, P., Schneider, R., & Fiala, D. (2009). Cost analysis of office and office-based treatment of opioid dependence: results with methadone and buprenorphine in primary care patients. *Drug and Alcohol Dependence*, 99(1-3), 132-140. doi:10.1016/j.drugdep.2008.07.015
6. Khampang, R., Anantapornwong, S., & Tansamratanon, Y. (2015). Perceived barriers to utilize methadone maintenance therapy among male injection drug users in rural areas of southern Thailand. *Drug & Alcohol Review*, 34(4), 549-556. doi:10.1111/dar.12208
7. Lynch, F., McCarty, D., Maroney, J., Smith, N., Green, C., Pappasensky, S., ... Pathir, D. (2014). Costs of care for persons with opioid dependence in commercial integrated health systems. *Addiction Science & Clinical Practice*, 9(1), 36-113. doi:10.1186/1745-0174-9-113
8. National Institute on Drug Abuse. Opioid Summaries by State. <https://www.drugabuse.gov/topics/abuse/abuse/summaries-by-state>
9. Palfrey, H., Uchida, G., Anderson, V., Ober, A., Cerasuolo-McPhail, D., & Ranslow, R. (2012). Integrating substance use disorder services with primary care: the experience in California. *Journal of Psychiatric Drugs*, 44(4), 299-308. doi:10.1080/02797072.2012.718647
10. Parant, T., Miller, J., Chernyak, E., Adelman, C., Delea-Royce, C., Rowland, D., & Kildgore, M. (2017). Access to and payment for office-based buprenorphine


SCHOOL OF NURSING Indiana University


NLN National League for Nursing


NLN National League for Nursing

 **References**

1. Pacoraro, A., Ma, M., & Woody, G. (2012). The science and practice of medication-assisted treatments for opioid dependence. *Substance Use & Misuse, 47*(8), 1026-1040. doi:10.1080/10826094.2012.662892
2. Press, K., Zimberg, G., Geller, G., Carriase, J., & Ringelhood, M. (2016). What patients with addiction disorders need from their primary care physicians: a qualitative study. *Substance Abuse, 37*(2), 348-355. doi:10.1080/08807077.2015.1080795
3. Rosenthal, R. (2016). Managing the opioid-use disorder crisis. *Current Psychiatry, 17*(4), 9-16.
4. Saly, R., Patti, T., Cheng, D., Alford, D., Bernstein, J., Lloyd-Towright, C., ... & Smet, J. (2014). Screening and brief intervention for drug use in primary care: the ASORE randomized clinical trial. *Journal of the American Medical Association, 312*(20), 2522-2531. doi:10.1001/jama.2014.7622
5. Services, U. S. H. a. H. (2018). Retrieved from <http://www.oas.samhsa.gov>
6. Simon, (2014). Access to treatment for opioid dependence in rural America: challenges and future directions. *Journal American Medical Society Psychiatry, 71*(4), 359-360. doi:10.1093/jamapsy/2013.4430
7. United States Census Bureau. QuickFacts Boone County, Indiana. <http://www.census.gov/quickfacts/boonecountyindiana/PST145212>
8. United States Census Bureau. QuickFacts Indiana. <http://www.census.gov/quickfacts/indiana>
9. United States Census Bureau. QuickFacts Lebanon, Indiana. <http://www.census.gov/quickfacts/lebanonindiana/PST145212>

 **SCHOOL OF NURSING**
Indiana University

 **NCS** National Center for
Nursing Research
The American Association of Colleges of Nursing
2015-2016 National Center for Nursing Research

 **NLN** National League
for Nursing
The American Association of Colleges of Nursing
2015-2016 National Center for Nursing Research
